



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/023,624	12/18/2001	Hitoshi Miyano	590146-2007	3966

20999 7590 09/24/2003

FROMMER LAWRENCE & HAUG
745 FIFTH AVENUE- 10TH FL.
NEW YORK, NY 10151

EXAMINER

GIBSON, ROY DEAN

ART UNIT	PAPER NUMBER
----------	--------------

3739

DATE MAILED: 09/24/2003

3

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/023,624	Applicant(s) MIYANO, HITOSHI	
	Examiner Roy D. Gibson	Art Unit 3739	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 December 2001.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) 1,3,4,6,10,12,13 and 15 is/are rejected.
- 7) ☐ Claim(s) 2,5,7-9,11,14 and 16-19 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 18 December 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 3, 4, 6, 10, 12, 13 and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Takahashi et al.

As to claims 1 and 10, Takahashi et al. disclose an optical system for an endoscope comprising a light guide with a bundle of a large number of optical fibers (23), and emitting illumination light guided by the optical fibers from a light emission end face, wherein the amount of light emitted from a central region (Figure 1, # 23A) in the light emission end face is relatively small in comparison with the amount of light emitted from a peripheral region (23B) in the light emission end face (Abstract and col. 3, lines 48-64).

As to claims 3 and 12, Takahashi et al. further disclose the optical fibers are aligned more loosely (the examiner suggests the alternative language of “less compactly”) in the central region and more densely in the peripheral region in the light emission end face (col. 3, lines 48-64).

As to claims 4 and 6, Takahashi et al. further disclose the illumination optical system is composed of a plano-concave lens (25) provided near the light emission end face (Figure 1 and col. 3, lines 41-48).

As to claims 13 and 15, Takahashi et al. further disclose the illumination optical system is composed of a plano-convex lens (12) provided near (relative term) the light emission end face (Figure 1 and col. 3, lines 41-48).

Allowable Subject Matter

Claims 2, 5, 7-9, 11, 14 and 16-19 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.


Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Miyano (5,777,797) discloses an objective lens system for endoscopes with both plano-convex and plano-concave lenses, but, lacks the combination of these lenses with optical fibers distributed to partially block the light emission in a central region; Miyano et al. (5,587,839) also disclose an objective lens system for endoscopes with both plano-convex and plano-concave lenses, but, lacks the combination of these lenses with optical fibers distributed to partially block the light emission in a central region; and Tohjoh et al. disclose an endoscope apparatus with an objective lens system for endoscopes with both plano-convex and plano-concave lenses, but, lacks the combination of these lenses with optical fibers distributed to partially block the light emission in a central region.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Roy D. Gibson whose telephone number is 703-308-3520. The examiner can normally be reached on M-F, 7:30 am-4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on 703-308-0994. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0873.


Roy D. Gibson
Primary Examiner
Art Unit 3739

September 16, 2003